

# TWN4 Slim mounting frame

## Mounting solution for TWN4 Slim readers



TWN4 Slim mounting frame  
(exemplary illustrations)

The ELATEC product portfolio also contains a wide range of accessories, like wall holders, additional cables or RFID antennas, that are perfectly suited for use with the different ELATEC devices. As part of the accessory portfolio, ELATEC offers a mounting frame for the RFID readers of the TWN4 Slim family.

The TWN4 Slim mounting frame has been specially designed to mount the reader on different machines, devices or surfaces. The frame is made out of durable, robust materials and can be fixed with either adhesive pads or screws.

### Special features:

- + Compatible with all ELATEC RFID desktop readers of the TWN4 Slim family
- + Specially designed for the TWN4 Slim readers together with ELATEC Slim USB cables
- + Prevents unauthorized removal of TWN4 Slim and cable
- + The frame construction emphasizes the thin design language of the TWN4 Slim readers



Elevator



EV Chargers



Access



Shop POS



Fitness  
Equipment



Ticket POS



PC Log-on



Document  
Management



Driver ID



Vending



Parking



Gaming



Locker Locks



Time  
Attendance




Industrial  
PC

## TECHNICAL DATA

|                        |   |  |         |   |         |  |         |   |         |  |         |   |         |   |         |   |
|------------------------|---|--|---------|---|---------|--|---------|---|---------|--|---------|---|---------|---|---------|---|
| FRAME                  | Material: ABS+PC blend, UL94-V0<br>Color: black   |  |         |   |         |  |         |   |         |  |         |   |         |   |         |   |
| DIMENSIONS (L X W X H) | Approx. 85.70 x 49.20 x 6.65 mm / 3.37 x 1.94 x 0.26 inch   |  |         |   |         |  |         |   |         |  |         |   |         |   |         |   |
| WEIGHT                 | Approx. 3 g / 0.11 oz   |  |         |   |         |  |         |   |         |  |         |   |         |   |         |   |
| ORDER CODE             | HFQC-B  | Kit incl. TWN4 Slim mounting frame black and 4 adhesive pads <sup>1)</sup> |         |   |         |  |         |   |         |  |         |   |         |   |         |   |
| CABLES                 | <p>The TWN4 Slim mounting frame is only compatible with the following ELATEC cables:</p> <table border="0"> <tr> <td>CAB-BS1</td> <td>Cable, Slim CC, micro USB/mini USB male bent, 10 cm / 3.93 inch</td> </tr> <tr> <td>CAB-BS2</td> <td>Cable, Slim CC, micro USB/mini USB female, 10 cm / 3.93 inch</td> </tr> <tr> <td>CAB-BS3</td> <td>Cable, Slim CC, micro USB/USB A male, 12 cm / 4.72 inch</td> </tr> <tr> <td>CAB-BS4</td> <td>Cable, Slim CC, micro USB/USB A male, 45 cm / 17.70 inch</td> </tr> <tr> <td>CAB-BS5</td> <td>Cable, Slim CC, micro USB/USB A male, 120 cm / 47.20 inch</td> </tr> <tr> <td>CAB-BS6</td> <td>Cable, Slim CC, micro USB/USB A male, 200 cm / 72.74 inch</td> </tr> <tr> <td>CAB-BS7</td> <td>Cable, Slim CC, micro USB/mini USB male, 60 cm / 23.62 inch</td> </tr> </table> |  | CAB-BS1 | Cable, Slim CC, micro USB/mini USB male bent, 10 cm / 3.93 inch | CAB-BS2 | Cable, Slim CC, micro USB/mini USB female, 10 cm / 3.93 inch | CAB-BS3 | Cable, Slim CC, micro USB/USB A male, 12 cm / 4.72 inch | CAB-BS4 | Cable, Slim CC, micro USB/USB A male, 45 cm / 17.70 inch | CAB-BS5 | Cable, Slim CC, micro USB/USB A male, 120 cm / 47.20 inch | CAB-BS6 | Cable, Slim CC, micro USB/USB A male, 200 cm / 72.74 inch | CAB-BS7 | Cable, Slim CC, micro USB/mini USB male, 60 cm / 23.62 inch |
| CAB-BS1                | Cable, Slim CC, micro USB/mini USB male bent, 10 cm / 3.93 inch   |  |         |   |         |  |         |   |         |  |         |   |         |   |         |   |
| CAB-BS2                | Cable, Slim CC, micro USB/mini USB female, 10 cm / 3.93 inch  |  |         |   |         |  |         |   |         |  |         |   |         |   |         |   |
| CAB-BS3                | Cable, Slim CC, micro USB/USB A male, 12 cm / 4.72 inch   |  |         |   |         |  |         |   |         |  |         |   |         |   |         |   |
| CAB-BS4                | Cable, Slim CC, micro USB/USB A male, 45 cm / 17.70 inch  |  |         |   |         |  |         |   |         |  |         |   |         |   |         |   |
| CAB-BS5                | Cable, Slim CC, micro USB/USB A male, 120 cm / 47.20 inch   |  |         |   |         |  |         |   |         |  |         |   |         |   |         |   |
| CAB-BS6                | Cable, Slim CC, micro USB/USB A male, 200 cm / 72.74 inch   |  |         |   |         |  |         |   |         |  |         |   |         |   |         |   |
| CAB-BS7                | Cable, Slim CC, micro USB/mini USB male, 60 cm / 23.62 inch   |  |         |   |         |  |         |   |         |  |         |   |         |   |         |   |

<sup>1)</sup>Fixation screws not included

## TECHNICAL DRAWINGS



### ELATEC GmbH

Zeppelinstr. 1  
82178 Puchheim  
Germany  
P +49 89 552 9961 0  
F +49 89 552 9961 129  
E-Mail: info-rfid@elatec.com  
Website: elatec.com

### ELATEC Systems GmbH

Schwieberdinger Str. 44  
71636 Ludwigsburg  
Germany  
P +49 7141 309736 0  
E-Mail: info-rfid@elatec.com  
Website: elatec.com

### ELATEC Inc.

1995 SW Martin Hwy  
Palm City • FL 34990  
USA  
P +1 772 210 2263  
F +1 772 382 3749  
E-Mail: americas-info@elatec.com  
Website: elatec.com

### ELATEC Technology (Shenzhen) LLC

918, Main Building, Tian An Cyber Times  
Tower, No. 6, Tairan Fourth Road, Tian'an  
Community, Shatou Neighborhood  
Futian District • Shenzhen • China  
P/F +86 755 2394 6014  
E-Mail: apac-info@elatec.com  
Website: elatec.com

ELATEC reserves the right to change any information or data in this document without prior notice. ELATEC declines all responsibility for the use of this product with any other specification but the one mentioned above. Any additional requirement for a specific customer application has to be validated by the customer himself at his own responsibility. Where application information is given, it is only advisory and does not form part of the specification. Disclaimer: All names used in this document are registered trademarks of their respective owners.